

ANDREW K. MOFFIT  
Chairman

JOSEPH D. CATALDI  
Vice Chairman

JOHN C. SIMMONS  
Ex-Officio

CARISSA R. RICHARD  
Secretary

FERNANDO S. CUNHA, ESQ.  
Legal Advisor



DAVID N. CICILLINE  
Mayor

PAMELA M. MARCHAND, P.E.  
Chief Engineer & General Manager

JOSEPH DE LUCA  
City Councilman

MICHAEL A. SOLOMON  
City Councilman

JOHN A. FARGNOLI  
Member

EVERETT BIANCO  
Member

RECEIVED

2007 MAY 25 AM 11:34

RI PUBLIC UTILITIES COMMISSION

May 21, 2007

Mrs. Luly Massaro  
Commission Clerk  
RI Public Utilities Commission  
89 Jefferson Boulevard  
Warwick, RI 02888

RE: Docket 3832 Division Data Requests; Set 1 and 2

Dear Luly:

Enclosed for filing are an original and three copies of Providence Water's responses to Division 1-32 and 1-36 which were not filed with the original set on May 18, 2007.

If there are any questions, I can be reached at 521-6300, extension 7217.

Sincerely,

A handwritten signature in cursive script that reads "Mary Deignan-White".

Mary Deignan-White  
Regulatory Manager

cc: Pamela M. Marchand  
Boyce Spinelli  
Jeanne Bondarevskis  
Walter Edge  
Thomas S. Catlin  
Joseph J. McGair, Esq.  
Timothy J. Brown, P.E.  
Christopher P.N. Woodcock  
William Lueker, Esq.  
Thomas Massaro

Michael R. McElroy, Esq.  
Paul Gadoury  
Harold Smith  
David Bebyn  
Jerome Mierzwa  
Steve Frias, Esq.  
Steve Scialabba  
John Bell  
R. DiMeglio, Esq.  
file

PROVIDENCE WATER SUPPLY BOARD  
Docket No. 3832  
Data Requests of the  
Division of Public Utilities & Carriers  
Set I

32. With regard to the projection of purchased power expense:

a. Please identify the kWh of power used at each location in FY 2004, 2005 and 2006.

**Response:** The information needed for this response was not available on the due date of the data responses. As soon as the information is made available, this data response will be submitted.

b. Please provide a calculation of rate year purchased power expense based on the contract with Constellation, Inc. to provide electricity at the rate of 9.642 cents per kWh through December 31, 2008.

**Response:** The information needed to answer Data Request Div. 1-32 (a) is required to complete this calculation. The calculation will be completed as soon as the information is made available to answer Div 1-32 (a).

PROVIDENCE WATER SUPPLY BOARD  
Docket No. 3832  
Data Requests of the  
Division of Public Utilities & Carriers  
Set I

36 Please explain why no adjustments were made to the capital labor to reflect cost increases other than the labor amount shown on Schedule WEE-3.

**Response:** On Schedule WEE-3 I did calculate an adjustment for capitalized labor and that adjustment was posted to Schedule WEE-2 increasing the capital reimbursement account. A related fringe benefit adjustment, estimated at about \$3,000, was considered immaterial and therefore no adjustment for fringe benefits increasing the capital reimbursement account was made. When the overall inflation adjustment calculation was made for my schedule WEE-2, the inflation adjustment for the capital reimbursement account was overlooked. I will address these oversights in my rebuttal testimony, if not addressed by the Division first.